

**Table 7.2** (Continued)

Coefficients <sup>a</sup>							
Model	Unstandardized Coefficients		Standardized Coefficients	<i>t</i>	<i>p</i>	95% CI for <i>B</i>	
	<i>B</i>	<i>SE</i>	Beta			Lower Bound	Upper Bound
1 (Constant)	414.025	1.770		233.895	.000	410.552	417.498
	zNUM_TOT	36.113	0.518	20.201	.000	32.606	39.621
2 (Constant)	425.741	1.878		226.667	.000	422.056	429.427
	zNUM_TOT	66.782	0.958	23.168	.000	61.126	72.438
	zNUM_TOT <sup>2</sup>	-12.402	-0.539	-13.036	.000	-14.268	-10.535
3 (Constant)	439.687	2.329		188.791	.000	435.117	444.256
	zNUM_TOT	82.261	1.180	25.568	.000	75.948	88.574
	zNUM_TOT <sup>2</sup>	-39.526	-1.718	-13.174	.000	-45.413	-33.639
	zNUM_TOT <sup>3</sup>	5.096	1.030	9.493	.000	4.043	6.149
4 (Constant)	450.396	2.671		168.609	.000	445.155	455.638
	zNUM_TOT	77.443	1.111	24.195	.000	71.162	83.723
	zNUM_TOT <sup>2</sup>	-73.648	-3.202	-13.765	.000	-84.146	-63.150
	zNUM_TOT <sup>3</sup>	24.375	4.925	9.431	.000	19.304	29.446
	zNUM_TOT <sup>4</sup>	-2.429	-2.447	-7.618	.000	-3.054	-1.803

<sup>a</sup>Dependent variable: SAL\_AP.