

Table 7.1 (Continued)

Coefficients ^a							
Model	Unstandardized Coefficients		Standardized Coefficients	<i>t</i>	<i>p</i>	95% CI for <i>B</i>	
	<i>B</i>	<i>SE</i>	Beta			Lower Bound	Upper Bound
1	(Constant)	415.641		223.997	.000	412.001	419.282
	zNUM_TOT	35.065	0.494	19.050	.000	31.453	38.676
2	(Constant)	427.239		219.571	.000	423.421	431.057
	zNUM_TOT	66.442	0.936	22.465	.000	60.638	72.245
	zNUM_TOT ²	-12.076	-0.543	-13.026	.000	-13.895	-10.257
3	(Constant)	439.712		182.617	.000	434.988	444.437
	zNUM_TOT	81.497	1.149	24.041	.000	74.846	88.149
	zNUM_TOT ²	-35.339	-1.589	-12.074	.000	-41.081	-29.596
	zNUM_TOT ³	4.075	0.903	8.352	.000	3.117	5.032
4	(Constant)	451.091		162.852	.000	445.656	456.526
	zNUM_TOT	79.348	1.118	23.929	.000	72.842	85.855
	zNUM_TOT ²	-69.306	-3.116	-13.234	.000	-79.581	-59.031
	zNUM_TOT ³	21.317	4.726	9.352	.000	16.845	25.789
	zNUM_TOT ⁴	-1.996	-2.367	-7.735	.000	-2.502	-1.490

^aDependent variable: SAL_AP.